

# Homocysteine



*Beckman Synchron CX<sup>®</sup>, LX<sup>®</sup>, Unicel<sup>®</sup> DxC*



*Dade Dimension<sup>®</sup>, AR, RxL, X-pand<sup>®</sup>*



*Olympus<sup>®</sup>, AU, Roche Modular,  
Hitachi<sup>®</sup> 917, Abbott Aeroset<sup>®</sup>*

## For Chemistry Analyzers

 **CAROLINA**  
LIQUID CHEMISTRIES CORP.™

510 W. Central Avenue, Suite. C, Brea, California 92821  
Telephone 800-471-7272 • Fax (714) 529-7170 • [www.carolinachemistries.com](http://www.carolinachemistries.com)

# Homocysteine

## For Chemistry Analyzers



*Beckman Synchron CX<sup>®</sup>, LX<sup>®</sup>,  
Unicel<sup>®</sup> DxC*



*Dade Dimension<sup>®</sup>, AR, RxL, X-pand<sup>®</sup>*



*Olympus<sup>®</sup>, AU, Roche Modular,  
Hitachi<sup>®</sup> 917, Abbott Aeroset<sup>®</sup>*

Available for Dade, Beckman, Roche, Bayer, Olympus<sup>®</sup>, Alfa Wasserman and other chemistry analyzers. The new recombinant enzymatic cycling assay (RECA<sup>™</sup>) offers an exceptionally fast and accurate method for performing Homocysteine (HCY) on chemistry analyzers.

- Liquid ready-to-use
- 1 to 1 correlation with HPLC
- Results in 10 minutes
- Stable on-board for 30 days
- Linear to 50  $\mu\text{mol/L}$
- No sample pretreatment
- Eliminates Fe and Cystathionine interference
- Bar-coded for Olympus Analyzers
- Optimized for longer calibration stability

Eliminate sample splitting by running HCY on the same instruments as lipid tests. Reagent kits for Lp(a), APO A1, APO B, hsCRP, Triglycerides, Cholesterol, Direct HDL and Direct LDL are also available.

 **CAROLINA**  
LIQUID CHEMISTRIES CORP.<sup>™</sup>

510 W. Central Avenue, Suite C, Brea, California 92821  
Telephone 800-471-7272 • Fax (714) 529-7170 • [www.carolinachemistries.com](http://www.carolinachemistries.com)